



FW: Aquifer Exemption

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

---

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

----- Original Message -----

From : Harry Anthony <hanthony@uraniumenergy.com>  
To : Sam Coleman/R6/USEPA/US@EPA  
Cc :  
Sent on : 09/17/2012 05:19:41 PM  
Subject : Aquifer Exemption

Dear Sam,

In an effort to engage TCEQ in preparing a draft letter for EPA's review, I am asking that you consider adding to the existing letter option 2c, the latest in science and geology that was completed at the suggestion of Stacey Dwyer last week. This being the cross-section map of a line of past exploration bore holes drilled across and, parallel, along the street directly opposite the Church. Also included in this recent offering is an areal overview of the Church's property plat and existing well locations illustrating the exactness of the information.

As of this writing (4pm, Monday-Sept 17, 2012) I have not received confirmation as to whether the Church has accepted option 2b which specified that UEC would drill a replacement well and plug back the existing two wells provided the new well contained potable water. That option is currently a standing option since the church members may be split on making a decision. Either way, we need to move forward. You mentioned to me last week that EPA was proceeding on a parallel course and I thought it advisable that you include 2c in your latest letter in an effort to have TCEQ move forward with a draft letter. I hope that you will understand that we have been patiently waiting to get resolution to our needs for concurrence. UEC has offered up further science to substantiate our position on ground water regional flow within the graben, and cross sections as close as possible depicting the sealing faults on the Southeast Fault. Additionally we have provided you with a history of other AEs that EPA has concurred in the past that clearly demonstrates that Goliad is not unique in the number of drinking water wells within the buffer zone.

Please let me know if you are having any further difficulties in opening up our electronic files that we have sent to you. If this continues is it possible for us to send them to a "safe house" on your server that you can access? I feel that we have had some difficulties communicating because of this issue...

Thanks, and I look forward in hearing from you soon.

Harry

**Harry L. Anthony, IV PE | Chief Operating  
Officer - Director**

[Description: Visit  
"www.UraniumEnergy.com"](http://www.UraniumEnergy.com)

**Uranium Energy Corp.**

**Direct:** 361-888-8235 ext 224

**Fax:** 361-888-5041

**Cell:** 361-522-8880

NYSE MKT: UEC | [www.uraniumenergy.com](http://www.uraniumenergy.com)



- CD057A93-3D35-4448-830B-EBF44337952E[12].png